


Activate &SAP_EDIT in SE16N



In SAP ECC 6.0 EHP6, the function code &SAP_EDIT, which enables the change mode of transaction SE16N, is deactivated (SAP Note 1420281) due to security breaches that were detected. In order to activate it (temporarily), follow the steps below:



1. Go to SE16N, as usual, and type the table for which you want to make modifications.
2. Instead of typing &SAP_EDIT in the command field, type /Hand and press "Enter" key to activate debugging.
3. Press F8 key to enter the data browser for the above table.
4. If you are using EHP6, then you may need to press F7 for several times to reach to the Screen 100 of program SAPLSE16N
5. While in debugging mode & once you are in Screen 100, enter the two variables GD-EDIT and GD-SAPEDIT and press "Enter" key.
6. For each variable, click on the change button, change the value to an uppercase "X" and press "Enter" key.
7. Press F8 key to exit debugging and enter the table in change mode.

Here is how the Entry to be changed in the debug mode.



This is a powerful hack which can be used to change even the standard tables and even in a production environment (if you have CHANGE access in Debugger). The changes cannot be tracked in anyway and it may lead to inconsistencies.

Note! Any auditor seeing a debugging events in a system (tcode: SM21)

Syslog messages									
									
									
Syslog of instance CHDEV00000000_0000_000									
Date	TIME	Instance	Type	Process No	Cl.	User	Priority	Message ID	Message Text
20.08.2007	10:26:00	CHDEV00000000_0000_000	COA	000	000	PRG00000000	●	A19	Field contents changed: GD-EDIT -> X
20.08.2007	10:26:00	CHDEV00000000_0000_000	COA	000	000	PRG00000000	○	A14	> in program SAPLSE16N , line ???, event
20.08.2007	10:26:00	CHDEV00000000_0000_000	COA	000	000	PRG00000000	●	A19	Field contents changed: GD-SAPEDIT -> X
20.08.2007	10:26:00	CHDEV00000000_0000_000	COA	000	000	PRG00000000	○	A14	> in program SAPLSE16N , line ???, event